

6ES7416-2FP07-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7416-2fp07-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.41 kgs
Product ID	6ES7416-2FP07-0AB0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 27.02.2015
Configurable Product	False
Country of Origin	DE
EAN	4047622160305.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R338
List of Characteristics	ST74
Quantity in Package	1
Packaging Length	30,10
Packaging Width	23,30
Packaging Height	3,80
Packaging Size	CM
Product Description	SIMATIC S7-400, CPU 416F-2, Central processing unit with: Work memory 8 MB, (4 MB code, 4 MB data), 1st interface MPI/DP 12 Mbit/s, 2nd interface PROFIBUS DP,
Product Code	4A4Q
Comparative Metals Coefficient	27.02.2015
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
UPC	804766464133.0

Description

6ES7416-2FP07-0AB0 | Siemens, Central Processing Unit For SIMATIC S7-400, 8 MB, 24 V dc | Brand / Manufacturer: Siemens | product type: Central Processing Unit | supply voltage: 24 V dc | program capacity: 8 MB | power consumption: 150 mA @ 5 V dc | CPU processing time: 12.5 ns (Bit Operations);12.5 ns (Word Operations);12.5 ns (Fixed Point Arithmetic);25 ns (Floating Point Arithmetic) | for use with: SIMATIC S7-400 | interface type: PROFIBUS-DP;RS485