

6ES7416-3XS07-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7416-3xs07-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.18 kgs
Product ID	6ES7416-3XS07-0AB0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 27.02.2015
Configurable Product	False
Country of Origin	DE
EAN	4047622229897.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R338
List of Characteristics	ST74
Quantity in Package	1
Packaging Length	30,30
Packaging Width	23,30
Packaging Height	6,60
Packaging Size	CM
Product Description	SIMATIC S7-400, CPU 416-3, Central processing unit with: Work memory 16 MB, (8 MB code, 8 MB data), 1st interface MPI/DP 12 Mbit/s, 2nd interface PROFIBUS DP, 3rd interface plug-in IFM module
Product Code	4040
Comparative Metals Coefficient	27.02.2015
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
UPC	804766321610.0

Description

6ES7416-3XS07-0AB0 | Siemens 24 V dc, Simatic S7-400, MPI/DP, PROFIBUS DP | Brand / Manufacturer: Siemens | product type: Central Processing Unit | supply voltage: 24 V dc | program capacity: 16 MB;8 MB;64 MB (Load Memory) | CPU processing time: 12.5 ns (Typ. - Bit);12.5 ns (Typ.) (Words);12.5 ns (Typ.) (Fixed Point Arithmetic);25 ns (Typ.) (Floating Point Arithmetic) | for use with: Simatic S7-400 | interface type: MPI/DP;PROFIBUS DP