

6ES7417-5HT06-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7417-5ht06-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.20 kgs
Product ID	6ES7417-5HT06-0AB0
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 05.04.2012
Configurable Product	False
Country of Origin	DE
EAN	4019169202831.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R338
List of Characteristics	ST74
Quantity in Package	1
Packaging Length	30,20
Packaging Width	23,30
Packaging Height	6,30
Packaging Size	CM
Product Description	SIMATIC S7-400H PROFINET, JEDNOSTKA CENTRALNA DLA SYSTEMÓW REDUNDANTNYCH ORAZ REDUNDANTNYCH/FAIL-SAFE CPU 417-5H, INTERFEJSY: 1 X MPI/DP, 1 X DP, 1 X PN (SWITCH 2 X 45) , 2 X DOŁĄCZANE MODUŁY SYNCHRONIZACJI; 32 MB PAMIĘCI WORK (16 MB PROGRAM, 16 MB DANE)
Product Code	4040
Comparative Metals Coefficient	05.04.2012
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Lead monoxide (lead oxide) lblREACHCasNo7368
Unit of Measure	ST
UPC	40892941302.0

Description

6ES7417-5HT06-0AB0 | Siemens, CPU Module, 24 V dc, Capacity 32 MB (Working Memory) | Brand / Manufacturer: Siemens | height: 302 | width: 233 | depth: 63 | mass: 1.28 | product type: CPU Module | supply voltage: 24 V dc | program capacity: 32 MB (Working Memory) | CPU processing time: 7.5 ns (Bit Operations);7.5 ns (Word Operations);7.5 ns (Fixed Point Arithmetic);15 ns (Floating Point Arithmetic) | interface type: RS485/PROFIBUS + MPI | a programming language: LAD;FBD;STL;SCL;CFC;GRAPH;HiGraph® | power loss: 7.5 W