

6ES7422-1BL00-0AA0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6es7422-1bl00-0aa0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|---|
| Weight | 0.28 kgs |
| Product ID | 6ES7422-1BL00-0AA0 |
| AL Field | N |
| Customs Tariff Code | 85389091 |
| Compliance | Produkt zgodny z RoHS od: 01.03.2008 |
| Configurable Product | False |
| Country of Origin | DE |
| EAN | 4025515128946.0 |
| ECCN | 9N9999 |
| eClass 6 | 27-24-22-04 |
| eClass 7.1 | 27-24-22-04 |
| eClass 8 | 27-24-22-04 |
| eClass Version 9 | 27-24-22-04 |
| eClass Version 9.1 | 27-24-22-04 |
| ETIM 7 | EC001419 |
| Group Classification Key | R338 |
| List of Characteristics | ST74 |
| Quantity in Package | 1 |
| Packaging Length | 30,00 |
| Packaging Width | 23,30 |
| Packaging Height | 3,80 |
| Packaging Size | CM |
| Product Description | SIMATIC S7-400, moduł wyjść binarnych SM 422, izolacja optyczna, 32 wyjścia, 24V DC, 0.5A |
| Product Code | 4041 |
| Comparative Metals Coefficient | 01.03.2008 |
| REACH | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368 |
| Unit of Measure | ST |
| UPC | 662643183610.0 |

Description

6ES7-422-1BL00-0AA0 | Siemens SIMATIC S7-400 Series Digital Output Module, 200 mA (Backplane), 24 V dc, 25 x 290 x 210 mm | Brand / Manufacturer: Siemens | height: 25 | width: 25 | depth: 210 | mass: 0.746 | product type: Digital Output Module | series: SIMATIC S7-400 | number of results: 32 | type of output: Digital | module type: Digital Output Module | input current: 30 mA (Load Voltage);200 mA (Backplane) | output current: 0.5 A (for Signal 1 Rated Value);5 mA (for Signal 1 Permissible Range, Min);0.6 A (for Signal 1 Permissible Range, Max);0.3 mA (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | Size: 25 x 290 x 210 mm