

### 6ES7512-1DK01-0AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7512-1dk01-0ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.09 kgs
Product ID	6ES7512-1DK01-0AB0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 29.07.2015
Configurable Product	False
Country of Origin	DE
EAN	4047623406051.0
ECCN	9N9999
eClass 6	27-24-26-07
eClass 7.1	27-24-26-07
eClass 8	27-24-26-07
eClass Version 9	27-24-26-07
eClass Version 9.1	27-24-26-07
ETIM 7	EC001603
Group Classification Key	R132
List of Characteristics	ST76
Quantity in Package	1
Packaging Length	13,20
Packaging Width	13,10
Packaging Height	8,80
Packaging Size	CM
Product Code	9034
Comparative Metals Coefficient	29.07.2015
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	804766166556.0

## Description

6ES7512-1DK01-0AB0 | Siemens CPU Module, 24 Vdc with LAD, FBD, SCL, STL, Graph | Brand / Manufacturer: Siemens | height: 120 | width: 100 | depth: 63 | mass: 0.5 | product type: CPU Module | supply voltage: 24 V dc | program capacity: 200 KB (Programming);1 MB (DATA) | power consumption: 0.6 A | inrush current: 4.7 A | CPU processing time: 48 ns (Bit Operation) | for use with: Simatic DP | number of digital inputs: 128 | number of digital outputs: 128 | interface type: Profinet;RJ45 | a programming language: LAD;FBD;SCL;STL;Graph | power loss: 5.6 W | encoder power supply: 24 V