

### 6ES7513-1AL02-0AB0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 6es7513-1al02-0ab0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                       |   |
|---------------------------------------|---|
| <b>Weight</b>                         | 0.09 kgs  |
| <b>Product ID</b>                     | 6ES7513-1AL02-0AB0  |
| <b>Notes</b>                          | Przerwanie produkcji od: 01.10.2024   |
| <b>AL Field</b>                       | N   |
| <b>Customs Tariff Code</b>            | 85371091  |
| <b>Compliance</b>                     | Produkt zgodny z RoHS od: 29.03.2018  |
| <b>Configurable Product</b>           | False   |
| <b>Country of Origin</b>              | DE  |
| <b>EAN</b>                            | 4047623408635.0   |
| <b>ECCN</b>                           | 9N9999  |
| <b>eClass 6</b>                       | 27-24-22-07   |
| <b>eClass 7.1</b>                     | 27-24-22-07   |
| <b>eClass 8</b>                       | 27-24-22-07   |
| <b>eClass Version 9</b>               | 27-24-22-07   |
| <b>eClass Version 9.1</b>             | 27-24-22-07   |
| <b>ETIM 7</b>                         | EC000236  |
| <b>Group Classification Key</b>       | R132  |
| <b>List of Characteristics</b>        | ST73  |
| <b>Quantity in Package</b>            | 1   |
| <b>Packaging Length</b>               | 15,20   |
| <b>Packaging Width</b>                | 15,10   |
| <b>Packaging Height</b>               | 4,70  |
| <b>Packaging Size</b>                 | CM  |
| <b>Product Description</b>            | SIMATIC S7-1500, CPU 1513-1 PN, central processing unit with working memory 300 KB for program and 1.5 MB for data, 1. interface: PROFINET IRT with 2 port switch, 40 NS bit-performance, SIMATIC memory card necessary |
| <b>Product Code</b>                   | 4500  |
| <b>Comparative Metals Coefficient</b> | 29.03.2018  |
| <b>REACH</b>                          | Lead CAS-Nr. 7439-92-1  |
| <b>Unit of Measure</b>                | ST  |
| <b>UPC</b>                            | 804766675683.0  |

## Description

6ES75131AL020AB0 | Siemens, CPU Module for SIMATIC S7 Controller, 300 kB, 24 V dc, 5.443 kg | Brand / Manufacturer: Siemens | product type: CPU Module | supply voltage: 24 V dc | program capacity: 300 kB | power consumption: 0.7 A | inrush current: 1.9 A | CPU processing time: 40 ns | for use with: SIMATIC S7 Controller | interface type: EtherNet;RJ45 | a programming language: LAD;FBD;SCL;STL;CFC;GRAPH | power loss: 5.7 W