

### 6ES7522-1BL01-0AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7522-1bl01-0ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.28 kgs
UPC	804766234446.0
Product ID	6ES7522-1BL01-0AB0
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 13.11.2015
Configurable Product	False
Country of Origin	DE
EAN	4047623405924.0
ECCN	9N9999
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,40
Packaging Width	15,10
Packaging Height	4,70
Packaging Size	CM
Product Code	4501
Comparative Metals Coefficient	13.11.2015
REACH	Lead CAS-Nr. 7439-92-1; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST

## Description

6ES7522-1BL01-0AB0 | Siemens SIMATIC S7-1500 Series Digital Output Module, 60 mA Input, 0.5 mA Output, 24 V dc, 500 µs, 35 x 147 x 129 mm | Brand / Manufacturer: Siemens | height: 153 | width: 149 | depth: 43 | mass: 0.3 | product type: Digital Output Module | series: SIMATIC S7-1500 | number of results: 32 | type of output: Digital | module type: Digital Output Module | input current: 60 mA (Current Consumption) | output current: 0.5 A (for Signal 1 Rated Value);0.5 A (for Signal 1 Permissible Range, Max);0.5 mA (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | switch-on time: 100 µs | off time: 500 µs | Size: 35 x 147 x 129 mm