

6ES7972-0AB01-0XA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7972-0ab01-0xa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.13 kgs
Compliance	Produkt zgodny z RoHS od: 31.12.2008
Product Description	SIMATC S7, REPEATER DIAGNOSTYCZNY DLA SIECI PROFIBIUS DP, DIAGNOSTYKA ONLINE KABLI PROFIBUS, PRĘDKOŚĆ DO 12 MBITÓW/S, STOPIEŃ OCHRONY IP20, TECHNOLOGIA PODŁĄCZENIOWA FAST-CONNECT
Product Code	X08U
Comparative Metals Coefficient	31.12.2008
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Product ID	6ES7972-0AB01-0XA0
AL Field	N
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
eClass 6	27-24-26-08
eClass 7.1	27-24-26-08
eClass 8	27-24-26-08
eClass Version 9	27-24-26-08
eClass Version 9.1	27-24-26-08
ETIM 7	EC001604
Group Classification Key	R151
List of Characteristics	ST76
Packaging Length	13,50
Packaging Width	10,10
Packaging Height	7,50
Packaging Size	CM
Customs Tariff Code	85176200
EAN	4025515069256.0
Quantity in Package	1
UPC	662643125283.0

Description

6ES7-972-0AB01-0XA0 | Siemens, SIMATIC S7 Series, Diagnostic Repeater, 24 V dc, for PROFIBUS | Brand / Manufacturer: Siemens | product type: Diagnostic Repeater | series: SIMATIC S7 | rated voltage: 24 V dc | bus compatibility: PROFIBUS | upload speed: 12 Mbit/s;9.6 kbit/s to 12 Mbit/s | interface type: RS-485 | operating temperature range: 0 to +60 °C | for use with: PROFIBUS DP | type of attachment: DIN Rail Mount | length: 80 mm | width: 67.5 mm | height: 125 mm | mass: 300 g