

### 6GK5308-2GG10-2CA2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6gk5308-2gg10-2ca2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85176200
EAN	4047622504550.0
Quantity in Package	1
Product Code	2425
UPC	195125054714.0
Weight	1000
Product ID	6GK5308-2GG10-2CA2
Notes	Wycofanie produktu od: 30.12.2023 The XC/XCM-300 portfolio is available as successor
AL Field	N
Compliance	Produkt zgodny z RoHS od: 31.07.2011
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
eClass 6	19-17-01-06
eClass 7.1	19-17-01-06
eClass 8	19-17-01-06
eClass Version 9	19-17-01-06
eClass Version 9.1	19-17-01-06
ETIM 7	EC000734
Group Classification Key	R320
List of Characteristics	IK
Packaging Length	305,00
Packaging Width	483,00
Packaging Height	44,00
Packaging Size	MM
Comparative Metals Coefficient	31.07.2011
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Article Number	6GK53082GG102CA2
Product Family	SCALANCE X-300 managed
Catalog ID	IK
Packaging Dimensions	9.764 x 10.354 x 7.402
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece

<b>Standards</b>	EN 50155
<b>Product Group</b>	2425
<b>Net Weight</b>	2.205 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85176200