

### 6GK53244GG102JR2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6gk53244gg102jr2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85176200
EAN	4047622533185
eClass 6	19-17-01-06
eClass 7.1	19-17-01-06
eClass 8	19-17-01-06
eClass Version 9	19-17-01-06
eClass Version 9.1	19-17-01-06
Quantity in Package	1
Packaging Length	305,00
Packaging Width	449,00
Packaging Height	43,60
Product Code	2425
Comparative Metals Coefficient	01.01.2003
UPC	195125087415.0
Weight	7000 kg
Product ID	6GK5324-4GG10-2JR2
Notes	Wycofanie produktu od: 30.12.2023 The XR/XRM-300 portfolio is available as successor
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2003
Configurable Product	False
ECCN	9N9999
ETIM 7	EC000734
Group Classification Key	R320
List of Characteristics	IK
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Country of Origin	Germany
Article Number	6GK53244GG102JR2
Product Family	SCALANCE XR-300 managed
Catalog ID	IK
Packaging Dimensions	0.039 x 0.039 x 0.039
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece

<b>Voltage Rating</b>	24 V
<b>Product Group</b>	2425
<b>Net Weight</b>	15.432 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85176200

## Description

SCALANCE XR324-4M EEC; Managed IE switch, 19" rack; 16x 10/100/1000 Mbit/s for RJ45 ports electrical; 4x 100/1000 Mbit/s for 2-port media modules, electrical or optical; LED diagnostics; error signaling Contact; Select/set pushbutton, PROFINET I/O device, network management, Integrated redundancy manager; Power supply 2x 24 V DC; Ports at the back