

### 6GK57882GY010AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6gk57882gy010aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	2645
<b>eClass 6</b>	19-17-02-01
<b>eClass 7.1</b>	19-17-02-01
<b>eClass 8</b>	19-17-02-01
<b>eClass Version 9</b>	19-17-02-01
<b>eClass Version 9.1</b>	19-17-02-01
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	40,00
<b>Packaging Width</b>	100,00
<b>Packaging Height</b>	283,00
<b>Product Code</b>	2407
<b>Comparative Metals Coefficient</b>	01.01.2003
<b>UPC</b>	195125132306.0
<b>Customs Tariff Code</b>	85176200
<b>EAN</b>	4047622611159.0
<b>Product ID</b>	6GK5788-2GY01-0AA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.01.2003
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	9N9999
<b>ETIM 7</b>	EC000816
<b>Group Classification Key</b>	R323
<b>List of Characteristics</b>	IK
<b>Packaging Size</b>	MM
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Article Number</b>	6GK57882GY010AA0
<b>Product Family</b>	SCALANCE W1788 M12 for indoor use
<b>Catalog ID</b>	IK
<b>Packaging Dimensions</b>	0.039 x 0.039 x 0.039
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	24 V
<b>IP Rating</b>	IP65

<b>Product Group</b>	2407
<b>Net Weight</b>	5.831 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85176200

## Description

IWLAN access point, SCALANCE W1788-2 M12, 2 radios, 8 N-CON antenna port, iFeatures support via CLP, IEEE 802.11a/b/g/h/n/ac, 2.4/5 GHz, gross 1733 Mbit/s per radio, 2x M12 max. 1 Gbit/s, PoE, redundant 24 V DC, M12 A-coded IP65, -20..+70 °C, CLP slot, WPA2/802.11i/e, observe national approvals! CERT. ID: RAPAC-W2-M12-E4, includes: MPCIE-R1-ABGNAC-U4 Scope of delivery: Manuals on DVD, German/English, M12 sealing caps, for operation outside of USA/Israel