

6GK7342-5DA03-0XE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gk7342-5da03-0xe0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.06 kgs
Packaging Size	MM
Customs Tariff Code	85176200
EAN	4019169190886.0
Quantity in Package	1
Packaging Width	25,00
Product Code	2413
Unit of Measure	ST
UPC	40892922264.0
AL Field	N
REACH	Lead CAS-Nr. 7439-92-1; Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with greater than or equal to 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) \b1REACHCasNo0198
Compliance	Produkt zgodny z RoHS od: 22.12.2011
Country of Origin	DE
Configurable Product	False
eClass 8	27-24-22-08
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
ECCN	N
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
List of Characteristics	IK-A
Group Classification Key	R322
Packaging Length	210,00
Packaging Height	290,00
Product Description	SIMATIC NET, PROCESOR KOMUNIKACYJNY CP 342-5 UMOŻLIWIAJĄCY PODŁĄCZENIE SIMATIC S7-300 DO SIECI PROFIBUS DP, KOMPATYBILNY Z S5, KOMUNIKACJA PG/OP I S7
Comparative Metals Coefficient	22.12.2011
Notes	Wycofanie produktu od: 01.10.2023
Product ID	6GK7342-5DA03-0XE0

Description

6GK7342-5DA03-0XE0 | Siemens Communication Module for Connection of SIMATIC S7-300 to PROFIBUS DP, 0.25 A @ 24 V, 40 x 125 x 120 mm, 0.3 kg | Brand / Manufacturer: Siemens | product type: Communication Module | module type: Communication Module | supply voltage: 5 V dc;24 V dc | current rating: 0.15 A @ 5 V;0.25 A @ 24 V | for use with: Connection of SIMATIC S7-300 to PROFIBUS DP | Size: 40 x 125 x 120 mm | minimum operating temperature: 0 °C | maximum working temperature: 60 °C | mass: 0.3 kg | length: 125 mm | width: 40 mm | depth: 120 mm