

6GK7343-2AH01-0XA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gk7343-2ah01-0xa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6GK7343-2AH01-0XA0
Notes	Wycofanie produktu od: 01.10.2023 Zmiana na CM AS-i Master ST do SIMATIC ET 200SP (3RK7137-6SA00-0BC1)
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
ECCN	EAR99
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R711
List of Characteristics	CC-IC10
Packaging Length	150,00
Packaging Width	131,00
Packaging Height	50,00
Packaging Size	MM
Customs Tariff Code	85176200
EAN	4019169853293.0
Quantity in Package	1
Product Description	SIMATIC NET, procesor komunikacyjny CP 343-2 umożliwiający podłączenie SIMATIC S7-300 lub ET 200M do sieci AS-INTERFACE zgodnie ze specyfikacją AS-INTERFACE V3.0, WYMAGANA LISTWA PRZYŁĄCZENIOWA 20 PIN
Product Code	5321
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
Weight	250

Description

6GK73432AH010XA0 | Siemens Communication Module for Connection of SIMATIC S7-300 and ET 200M to AS-Interface, 24 V dc, 200 mA, Rail Mount, 40 x 125 x 120 mm, 0.534 lb | Brand / Manufacturer: Siemens | product type: Communication Module | module type: Communication Module | supply voltage: 24 V dc | current rating: 100 mA (Profile Conductors);200 mA (Backplane) | for use with: Connection of SIMATIC S7-300 and ET 200M to AS-Interface | type of attachment: Rail Mount | Size: 40 x 125 x 120 mm | minimum operating temperature: 0 °C | maximum working temperature: +40 °C (Vertical);+60 °C (Horizontal) | mass: 0.534 lb | length: 125 mm | width: 40 mm | depth: 120 mm