

6GK7343-2AH11-0XA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gk7343-2ah11-0xa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.02 kgs
Compliance	Produkt zgodny z RoHS od: 01.05.2012
Configurable Product	False
Country of Origin	CZ
EAN	4019169853309.0
ECCN	EAR99
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R711
List of Characteristics	CC-IC10
Quantity in Package	1
Packaging Length	150,00
Packaging Width	128,00
Packaging Height	50,00
Packaging Size	MM
Product Description	SIMATIC NET, procesor komunikacyjny CP 343-2P umożliwiający podłączenie SIMATIC S7-300 lub ET 200M do sieci AS-INTERFACE zgodnie ze specyfikacją AS-INTERFACE V3.0, WYMAGANA LISTWA PRZYŁĄCZENIOWA 20 PIN
Product Code	5321
Comparative Metals Coefficient	01.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
UPC	40892555042.0
Product ID	6GK7343-2AH11-0XA0
Notes	Wycofanie produktu od: 01.10.2023 Zmiana na CM AS-i Master ST do SIMATIC ET 200SP (3RK7137-6SA00-0BC1)
AL Field	N
Customs Tariff Code	85176200

Description

6GK7343-2AH11-0XA0 | Siemens, Communications Processor 24 V, 100 mA, 200 mA, 0.23 kg | Brand / Manufacturer: Siemens | product type: Communications Processor | module type: S7-300 Modular System | supply voltage: 24 V | current rating: 100 mA;200 mA | for use with: Connection of SIMATIC S7-300 and ET 200M to AS-Interface Configurable with STEP 7 According to AS-Interface Specification V3.0 | data transfer indicator: 10 Mbit/s;100 Mbit/s;1000 Mbit/s | interface type: AS | type of attachment: Rail Mount | Size: 40 x 125 x 120 mm | maximum working temperature: +40 °C (Vertical);+60 °C (Horizontal) | mass: 0.23 kg | length: 125 mm | width: 40 mm | depth: 120 mm