

6GK7343-5FA01-0XE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gk7343-5fa01-0xe0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.03 kgs
List of Characteristics	IK-A
Quantity in Package	1
Packaging Length	129,00
Packaging Width	35,00
Packaging Height	142,00
Packaging Size	MM
Product Description	SIMATIC NET, procesor komunikacyjny CP 343-5 umożliwiający połączenie SIMATIC S7-300 do sieci PROFIBUS FMS, kompatybilny z S5, komunikacja z PG/OP i S7, 12 MBps
Product Code	2413
Comparative Metals Coefficient	31.05.2001
REACH	Lead CAS-Nr. 7439-92-1; Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with greater than or equal to 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) lblREACHCasNo0198
Unit of Measure	ST
UPC	662643296570.0
Product ID	6GK7343-5FA01-0XE0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85176200
Compliance	Produkt zgodny z RoHS od: 31.05.2001
Configurable Product	False
Country of Origin	DE
EAN	4019169057585.0
ECCN	N
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R322

Description

6GK7343-5FA01-0XE0 | Siemens Communication Module for Connection of SIMATIC S7-300 to PROFIBUS, 0.25 A @ 24 V, 9.6 kbit/s to 12 Mbit/s, RS485, Rail Mount, 40 x 125 x 120 mm, 0.3 kg | Brand / Manufacturer: Siemens | height: 153 | product type: Communication Module | module type: Communication Module | supply voltage: 5 V dc;24 V dc | current rating: 0.15 A @ 5 V;0.25 A @ 24 V | for use with: Connection of SIMATIC S7-300 to PROFIBUS | data transfer indicator: 9.6 kbit/s to 12 Mbit/s | interface type: RS-485 | type of attachment: Rail Mount | Size: 40 x 125 x 120 mm | minimum operating temperature: 0 °C | maximum working temperature: 60 °C | mass: 0.3 kg | length: 125 mm | width: 40 mm | depth: 120 mm