

6GK7443-1GX30-0XE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gk7443-1gx30-0xe0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.91 kgs
Product ID	6GK7443-1GX30-0XE0
AL Field	N
Customs Tariff Code	85176200
Compliance	Produkt zgodny z RoHS od: 11.05.2012
Configurable Product	False
Country of Origin	DE
EAN	4019169206693.0
ECCN	9N9999
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R322
List of Characteristics	IK
Quantity in Package	1
Packaging Length	129,00
Packaging Width	35,00
Packaging Height	142,00
Packaging Size	MM
Product Description	SIMATIC NET, PROCESOR KOMUNIKACYJNY CP 443-1 ADVANCED UMOŻLIWIAJĄCY PODŁĄCZENIE SIMATIC S7-400 DO SIECI INDUSTRIAL ETHERNET, OBSŁUGIWANE PROTOKOŁY/FUNKCJE: CONTROLLER SIECI PROFINET IO, OBSŁUGA CZASU RZECZYWISTEGO I IZOCHRONICZNEGO, S7-ROUTING, PROFIENERGY
Product Code	2414
Comparative Metals Coefficient	11.05.2012
REACH	Lead CAS-Nr. 7439-92-1; Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with greater than or equal to 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) lblREACHCasNo0198; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	40892948905.0

Description

6GK7443-1GX30-0XE0 | Siemens, Communication Processor 5 V dc, 1.8, 0.7 kg | Brand / Manufacturer: Siemens | product type: Communication Processor Module | module type: Compact Module | supply voltage: 5 V dc | current rating: 1.8 A | data transfer indicator: 10 to 1000 Mbit/s @ 1st Interface;10 to 100 Mbit/s @ 2nd Interface | interface type: RJ45 | Size: 25 x 290 x 210 mm | minimum operating temperature: 0 °C | maximum working temperature: +60 °C | mass: 0.7 kg | length: 290 mm | width: 25 mm | depth: 210 mm