

6GT28116AA104AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gt28116aa104aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Customs Tariff Code	85176200
EAN	4047622381366
eClass 6	27-28-04-01
eClass 7.1	27-28-04-01
eClass 8	27-28-04-01
eClass Version 9	27-28-04-01
eClass Version 9.1	27-28-04-01
Quantity in Package	1
Packaging Length	80,00
Packaging Width	258,00
Packaging Height	258,00
Product Code	4371
Comparative Metals Coefficient	01.01.2003
UPC	195125437920.0
Weight	3195 kg
Product ID	6GT2811-6AA10-4AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2003
Configurable Product	False
ECCN	9N9999
ETIM 7	EC002998
Group Classification Key	R322
List of Characteristics	ID10.M
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Product Description	SIMATIC RF600 Reader RF680R ARIB; Interface Ethernet M12, PROFINET M12, 4 antennas, 4 dig. inputs/ 4 dig. outputs, 24 V DC; IP65; -25 to +55 °C; without accessories and antennas
Country of Origin	Germany
Article Number	6GT28116AA104AA0
Product Family	RF680R
Product Group	4371
Catalog ID	ID10.M
Net Weight	7.044 lb

Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85176200
Voltage Rating	24 V
IP Rating	IP65

Description

The SIMATIC RF600 Reader RF680R ARIB features Ethernet M12 and PROFINET M12 interfaces, supporting 4 antennas and 4 digital inputs/outputs. Powered by 24 V DC, it boasts an IP65 protection rating and operates within a temperature range of -25 to +55 °C. This product is RoHS compliant since 01.01.2003 and is not configurable. The net weight is 7.044 kg, with packaging dimensions of 80 x 258 x 258 mm.