

6GT28116AB204AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6gt28116ab204aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Customs Tariff Code	85176200
eClass 6	27-28-04-01
eClass 7.1	27-28-04-01
eClass 8	27-28-04-01
eClass Version 9	27-28-04-01
eClass Version 9.1	27-28-04-01
Quantity in Package	1
Packaging Length	45,00
Packaging Width	133,00
Packaging Height	133,00
Product Code	4371
Comparative Metals Coefficient	01.01.2003
Weight	3169 kg
Product ID	6GT2811-6AB20-4AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2003
Configurable Product	False
ECCN	9N9999
ETIM 7	EC002998
Group Classification Key	R322
List of Characteristics	ID10.M
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Product Description	SIMATIC RF600 Reader RF650R ARIB; Interface Ethernet RJ45 4 4 antennas, 4 dig. inputs/ 4 dig. outputs, 24V DC; IP30; -25 to +55 °C; without accessories and antennas
EAN	4047622381380
Country of Origin	Germany
Article Number	6GT28116AB204AA0
Product Family	RF650R
Product Group	4371
Catalog ID	ID10.M
Net Weight	6.986 lb
Packaging Dimensions	0.039 x 0.039 x 0.039

Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85176200
Voltage Rating	24 V
IP Rating	IP30

Description

The SIMATIC RF600 Reader RF650R ARIB features an Ethernet RJ45 interface, supporting 4 antennas and 4 digital inputs/outputs. Powered by 24 V DC, it has an IP30 protection rating and operates within a temperature range of -25 to +55 °C. The product does not include accessories or antennas. The net weight is 6.986 kg, with packaging dimensions of 45 x 133 x 133 mm.