

### 6GT28116CA104AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6gt28116ca104aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85176200
eClass 6	27-28-04-01
eClass 7.1	27-28-04-01
eClass 8	27-28-04-01
eClass Version 9	27-28-04-01
eClass Version 9.1	27-28-04-01
Quantity in Package	1
Packaging Length	60,00
Packaging Width	198,00
Packaging Height	198,00
Product Code	4371
Comparative Metals Coefficient	01.01.2003
UPC	195125437937.0
Weight	3321 kg
Product ID	6GT2811-6CA10-4AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.01.2003
Configurable Product	False
ECCN	9N9999
ETIM 7	EC002998
Group Classification Key	R322
List of Characteristics	ID10.M
Packaging Size	MM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
EAN	4047622381373
Country of Origin	Germany
Product Description	SIMATIC RF600 Reader RF685R ARIB; Interfaces: Ethernet M12 PROFINET M12 1 integrated antenna+1 ext. antenna port, 4 dig. inputs/ 4 dig. outputs, 24V DC; IP65; -25 to +55 °C; without accessories
Article Number	6GT28116CA104AA0
Product Family	RF685R
Catalog ID	ID10.M
Packaging Dimensions	0.039 x 0.039 x 0.039
Package Size Unit of Measure	Inch

<b>Quantity Unit</b>	1 Piece
<b>Commodity Code</b>	85176200
<b>Product Group</b>	4371
<b>Net Weight</b>	7.322 lb
<b>Packaging Quantity</b>	1 pieces
<b>Voltage Rating</b>	24 V
<b>IP Rating</b>	IP65

## Description

SIMATIC RF600 Reader RF685R ARIB; Interfaces: Ethernet M12 PROFINET M12 1 integrated antenna+1 ext. antenna port, 4 dig. inputs/ 4 dig. outputs, 24V DC; IP65; -25 to +55 °C; without accessories