

6SL30050FG416AA7

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6sl30050fg416aa7 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Customs Tariff Code | 85363090 |
| eClass 6 | 27-02-31-90 |
| eClass 7.1 | 27-02-31-90 |
| eClass 8 | 27-02-31-90 |
| eClass Version 9 | 27-02-31-92 |
| eClass Version 9.1 | 27-42-01-06 |
| Quantity in Package | 1 |
| Packaging Length | 0,00 |
| Packaging Width | 0,00 |
| Packaging Height | 0,00 |
| Product Code | 4131 |
| Comparative Metals Coefficient | 01.08.2018 |
| Weight | 160000 kg |
| Product ID | 6SL3005-0FG41-6AA7 |
| Notes | Wycofanie produktu od: 15.05.2023 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.08.2018 |
| Configurable Product | False |
| Country of Origin | Germany |
| ECCN | N |
| ETIM 7 | EC002025 |
| Group Classification Key | R220 |
| List of Characteristics | D21.3LDSP |
| Unit of Measure | ST |
| Product Description | SINAMICS S120 Filter module for Active Interface Module 500-690 V 3 AC, 50/60 Hz, 1560A Type rating: 1700kW Built-in unit IP00 Water cooling for open circuit incl. DRIVE-CLiQ cable without bypass contactor with Pt1000 |
| Catalog ID | D21.3LDSP |
| Quantity Unit | 1 Piece |
| Frequency Range | 50 - 60 Hz |
| IP Rating | IP00 |
| Article Number | 6SL30050FG416AA7 |
| Product Family | Ordering Data Overview |
| Product Group | 4131 |
| Net Weight | 160.000 lb |

| | |
|---------------------------|----------|
| Packaging Quantity | 1 pieces |
| Commodity Code | 85363090 |
| Current Rating | 1560 A |
| Power | 1700 kW |
| Voltage Rating | 690 V |

Description

SINAMICS S120 Filter module for Active Interface Module 500-690 V 3 AC, 50/60 Hz, 1560A
Type rating: 1700kW Built-in unit IP00 Water cooling for open circuit incl. DRIVE-CLiQ
cable without bypass contactor with Pt1000