

### 6SL31261TE210AA4

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl31261te210aa4
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

Product ID	6SL3126-1TE21-0AA4
AL Field	N
Customs Tariff Code	85044085
Compliance	Produkt zgodny z RoHS od: 15.02.2013
Configurable Product	False
Country of Origin	DE
EAN	4034106439767.0
ECCN	N
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D21MC
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Description	SINAMICS S120 SINGLE MOTOR MODULE WEJŚCIE: DC 600V WYJŚCIE: 3AC 400V, 9A RODZAJ OBUDOWY: BOOKSIZE CHŁODZENIE COLD-PLATE ZOPTYMALIZOWANA CZĘSTOTLIWOŚĆ IMPULSOWANIA I WSPARCIE DLA FUNKCJI EXTENDED SAFETY INTEGRATED DOŁĄCZONY PRZEWÓD SYGNAŁOWY DRIVE-CLIQ
Product Code	9617
Comparative Metals Coefficient	15.02.2013
Unit of Measure	ST
UPC	195125290761.0
Weight	4500
Product Group	9617
Net Weight	9.921 lb
Packaging Quantity	1 pieces
Commodity Code	85044084
Current Rating	9 A
Article Number	6SL31261TE210AA4
Product Family	Ordering Data Overview

<b>Catalog ID</b>	D21MC
<b>Quantity Unit</b>	1 Piece
<b>Voltage Rating</b>	600 V, 400 V

## Description

SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 9A FRAME SIZE:  
BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY  
INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE