

6SL3203-0CD21-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl3203-0cd21-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.24 kgs
Notes	Przerwanie produkcji od: 31.12.2030
AL Field	N
Customs Tariff Code	85045000
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	DE
EAN	4019169454704.0
ECCN	N
eClass 6	27-02-31-90
eClass 7.1	27-02-31-90
eClass 8	27-02-31-90
eClass Version 9	27-02-31-92
eClass Version 9.1	27-42-01-06
ETIM 7	EC002025
Group Classification Key	R220
List of Characteristics	D11.1SD
Quantity in Package	1
Packaging Length	300,00
Packaging Width	205,00
Packaging Height	80,00
Packaging Size	MM
Product Description	SINAMICS DŁAWIK SIECIOWY DLA MODUŁU MOCY WLK B 2.2 I 3,0 KW, MONTAŻ Z TYŁU PRZEKSZTAŁTNIKA
Product Code	9791
Comparative Metals Coefficient	01.07.2006
Unit of Measure	ST
UPC	662643433531.0
Product ID	6SL3203-0CD21-0AA0

Description

The Siemens 6SL3203-0CD21-0AA0 is a line reactor designed for use with SINAMICS Power Modules FSB 2.2 and 3.0 kW. This reactor enhances system performance by reducing harmonics and improving voltage stability. It operates within a voltage range of 380 to 480 V AC and is suitable for three-phase systems. The reactor has a rated current of 9 A and offers a power loss of 9 W at 50 Hz and 11 W at 60 Hz. It features a base mounting option for flexible installation. The device complies with RoHS standards and has an ingress protection rating of IP20, indicating protection against solid objects greater than 12 mm. The product is manufactured in Germany and has an EAN of 4019169454704.