

### 6SL3210-1KE21-7UF1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl3210-1ke21-7uf1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	1.03 kgs
EAN	4042948663974.0
Quantity in Package	1
Product Code	5673
UPC	887621144012.0
Customs Tariff Code	85044095
Product ID	6SL3210-1KE21-7UF1
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.07.2006
Configurable Product	False
Country of Origin	GB
List of Characteristics	D11.1SD
Packaging Length	260,00
Packaging Width	255,00
Packaging Height	125,00
Packaging Size	MM
Comparative Metals Coefficient	01.07.2006
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Diboron trioxide lblREACHCasNo3950
Unit of Measure	ST
ECCN	N
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
ETIM 7	EC001857
Group Classification Key	R220

## Description

6SL3210-1KE21-7UF1 | Siemens, Converter Power Module, Series SINAMICS G120C, 21.5 A, 380 to 480 V ac, 0.97 %, 3.94 x 8.86 x 7.72 in | Brand / Manufacturer: Siemens | mass: 2.6 | product type: Converter Power Module | manufacturer series: SINAMICS G120C | type of output: Digital;Analogue | input current: 21.5 A | input voltage: 380 to 480 V ac | output current: 25 A | power loss: 0.24 kW | length: 3.94 in | width: 8.86 in | depth: 7.72 in | performance: 0.97 % | operating temperature: -10 to +40 °C