

### 6SL3210-1KE23-8AP1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl3210-1ke23-8ap1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Legacy / discontinued

## Technical specification

<b>Weight</b>	2.49 kgs
<b>Customs Tariff Code</b>	85044086
<b>EAN</b>	4042948663400.0
<b>Quantity in Package</b>	1
<b>Product Code</b>	5673
<b>UPC</b>	887621207533.0
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.07.2006
<b>Product ID</b>	6SL3210-1KE23-8AP1
<b>AL Field</b>	N
<b>Configurable Product</b>	False
<b>Country of Origin</b>	GB
<b>Group Classification Key</b>	R220
<b>ECCN</b>	N
<b>eClass 7.1</b>	27-02-31-01
<b>eClass 8</b>	27-02-31-01
<b>eClass Version 9.1</b>	27-02-31-01
<b>eClass Version 9</b>	27-02-31-01
<b>ETIM 7</b>	EC001857
<b>eClass 6</b>	27-02-31-01
<b>Packaging Length</b>	270,00
<b>Packaging Width</b>	365,00
<b>Comparative Metals Coefficient</b>	01.07.2006
<b>Packaging Height</b>	160,00
<b>Packaging Size</b>	MM
<b>Unit of Measure</b>	ST
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Diboron trioxide lblREACHCasNo3950
<b>List of Characteristics</b>	D11.1SD

## Description

6SL3210-1KE23-8AP1 | Siemens, SINAMICS G120C Series, Inverter, 18.5 kW @ 400 V, 48.2 A, 380 to 480 V ac, 140 x 203 x 295 mm, 4.4 kg | Brand / Manufacturer: Siemens | product type: Inverter | power classification: 18.5 kW @ 400 V | supply voltage: 380 to 480 V ac | current rating: 48.2 A | output frequency: 0 to 550 Hz | ambient temperature: -10 to +40 °C | filter included yes / no: Yes | function: Vector Control;V/F Control | series: SINAMICS G120C | level of security: IP20 | type of attachment: DIN Rail Mount | Power assessment in horsepower: 25 hp @ 480 V | Size: 140 x 203 x 295 mm | requirements met: UL Listed;cUL Listed;CE Marked;C-Tick (RCM);EMC Directive 2004/108/EC;Low-Voltage Directive 2006/95/EC | mass: 4.4 kg