

6SL3210-1KE28-4UF1

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl3210-1ke28-4uf1
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Weight	18.14 kgs
Product ID	6SL3210-1KE28-4UF1
AL Field	N
Compliance	Produkt zgodny z RoHS od: 13.02.2017
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D11.1SD
Customs Tariff Code	85044086
EAN	4042948673256.0
Quantity in Package	1
Packaging Length	495,00
Packaging Width	356,00
Packaging Height	300,00
Packaging Size	MM
Product Code	5820
Comparative Metals Coefficient	13.02.2017
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Diboron trioxide lblREACHCasNo3950; Tris(2-chloroethyl) phosphate (TCEP) CAS-No. 115-96-8
Unit of Measure	ST
UPC	804766375446.0

Description

6SL3210-1KE28-4UF1 | Siemens, SINAMICS G120C Series, Inverter, 45 kW, 380 to 480 V ac, 76 A (Low)/69 A (High), 0 to 240 Hz (Vector Control)/0 to 550 Hz (V/F Control), V/F with Flux Current Control/Vector Control, IP20, 200 x 237 x 472 mm | Brand / Manufacturer: Siemens | product type: Inverter | power classification: 45 kW | supply voltage: 380 to 480 V ac | current rating: 76 A (Low);69 A (High) | output frequency: 0 to 240 Hz (Vector Control);0 to 550 Hz (V/F Control) | ambient temperature: -20 to +40 °C | filter included yes / no: No | function: V/F with Flux Current Control;Vector Control | series: SINAMICS G120C | level of security: IP20