

## 6SL3210-1PE13-2AL1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl3210-1pe13-2al1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

### Technical specification

<b>Voltage</b>	380 - 480 V
<b>Power</b>	0.75
<b>Component Specifications</b>	pm240
<b>Temperature</b>	-10 - 50
<b>Chemical Composition</b>	at: 200 %
<b>Horsepower</b>	0.75
<b>Cooling Capacity</b>	0.75
<b>Measurement Range</b>	380 - 480
<b>Cable Specification</b>	73 × 165
<b>Product Type</b>	Module
<b>I/O Channels</b>	196 channels
<b>Industrial System</b>	sinamics
<b>I/O Configuration</b>	196
<b>Signal Level</b>	480 V
<b>Current</b>	3.3 - 4.1 A
<b>Signal Type</b>	480
<b>Relay Specifications</b>	480 VAC

## Description

SINAMICS Power Module PM240-2 with integrated Class A filter with integrated braking chopper 380-480 V 3 AC +10/-10% 47-63 Hz Power high overload: 0.75kW at 200% 3s, 150% 57s, 100% 240 s; Ambient temperature -10 to +50 °C; power low overload: 1.1kW at 150% 3s, 110% 57s, 100% 240 s; Ambient temperature -10 to +40 °C 196x 73x 165 (HxWxD), FSA Degree of protection IP20 without Control Unit and operating unit Released as of CU firmware version V4.6