

6SL32105HE135UF0

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl32105he135uf0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	5100
Customs Tariff Code	85044095
EAN	4042948690253.0
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	345,00
Packaging Width	400,00
Packaging Height	115,00
Comparative Metals Coefficient	06.11.2019
UPC	195125024786.0
Compliance	Produkt zgodny z RoHS od: 06.11.2019
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D32
Product ID	6SL3210-5HE13-5UF0
AL Field	N
Packaging Size	MM
Product Description	SINAMICS S210 input voltage 200-480 V 3AC -10%/+10% 12.5 A 45-66 Hz output voltage: 0 input V 9.0 A 0-550 Hz motor: 3.5 kW degree of protection: IP20 frame size C 105 x 322 x 223 (WxHxD)
Product Code	4R30
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Article Number	6SL32105HE135UF0
Product Family	Ordering Data Overview
Product Group	4R30
Catalog ID	D32

Packaging Dimensions	15.748 x 13.583 x 4.528
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Current Rating	9.1, 9.0 A
Voltage Rating	480 V
Frequency Range	45 - 66 Hz
Net Weight	11.244 lb
Packaging Quantity	1 pieces
Commodity Code	85044084
Power	3.5 kW
IP Rating	IP20

Description

SINAMICS S210 Input voltage 200-480 V 3 AC -10%/+10% 9.1A 45-66 Hz Output voltage: 0 input V 9.0A 0-550 Hz motor: 3.5 kW type of protection: IP20 Frame size C 105 x 322 x 223 (WxHxD)