

6SL32105HE150UF0

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl32105he150uf0
Category	Industrial automation components
Product type	Industrial automation components
Status	Legacy / discontinued

Technical specification

Product ID	6SL3210-5HE15-0UF0
Product Description	SINAMICS S210 input voltage 200-480 V 3AC 4 -10%/+10% 15.0 A 45-66 Hz output voltage: 0 input V 12.0A 0-550 Hz motor: 5.0 kW degree of protection: IP20 frame size C 105 x 322 x 223 (WxHxD)
Product Code	4R30
Comparative Metals Coefficient	06.11.2019
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Configurable Product	False
ECCN	9N9999
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D32
Packaging Length	345,00
Packaging Width	400,00
Packaging Height	115,00
Packaging Size	MM
Compliance	Produkt zgodny z RoHS od: 06.11.2019
EAN	4042948690260.0
Customs Tariff Code	85044095
AL Field	N
UPC	195125049406.0
Weight	5100
Unit of Measure	ST
Quantity in Package	1
Country of Origin	DE
Article Number	6SL32105HE150UF0
Product Family	Ordering Data Overview
Product Group	4R30
Catalog ID	D32

Packaging Dimensions	15.748 x 13.583 x 4.528
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Current Rating	12.9, 12.0 A
Voltage Rating	480 V
Frequency Range	45 - 66 Hz
IP Rating	IP20
Net Weight	11.244 lb
Packaging Quantity	1 pieces
Commodity Code	85044084
Power	5.0 kW

Description

SINAMICS S210 Input voltage 200-480 V 3 AC 4 -10%/+10% 12.9A 45-66 Hz Output voltage: 6 0 input V 12.0A 0-550 Hz motor: 5.0 kW type of protection: IP20 Frame size C 105 x 322 x 223 (WxHxD)