

6SL33301TG418AA3

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl33301tg418aa3
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	320000 kg
Customs Tariff Code	85044083
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4926
Comparative Metals Coefficient	19.09.2005
UPC	887621059064.0
Product ID	6SL3330-1TG41-8AA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 19.09.2005
Configurable Product	True
Country of Origin	DE
ECCN	N
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D21.1LD
Product Description	SINAMICS S120 basic line module 500-690V 3AC, 50/60 Hz, 1880A Output: 675-930 V DC Type rating: 1500kW Built-in unit IP00 design CIM Internal air cooling incl. DRIVE-CLiQ cable
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1 6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST

Description

The SINAMICS S120 basic line module operates at a voltage of 500-690V 3AC, 50/60 Hz, with an output of 1880A and a DC voltage range of 675-930 V. It has a rated power of 1500kW and features an IP00 design with internal air cooling, including a DRIVE-CLiQ cable. Compliant with RoHS since 19.09.2005, this configurable product is manufactured in Germany and weighs 145.05 kg. The customs tariff code is 85044083, and it meets eClass standards 6, 7.1, 8, and 9.1.