

### 6SL33307TE375AA3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl33307te375aa3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	294000 kg
<b>Customs Tariff Code</b>	85044083
<b>eClass 6</b>	27-02-31-01
<b>eClass 7.1</b>	27-02-31-01
<b>eClass 8</b>	27-02-31-01
<b>eClass Version 9</b>	27-02-31-01
<b>eClass Version 9.1</b>	27-02-31-01
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	0,00
<b>Packaging Width</b>	0,00
<b>Packaging Height</b>	0,00
<b>Product Code</b>	4926
<b>Comparative Metals Coefficient</b>	30.12.2004
<b>UPC</b>	887621042714.0
<b>Product ID</b>	6SL3330-7TE37-5AA3
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 30.12.2004
<b>Configurable Product</b>	True
<b>Country of Origin</b>	DE
<b>ECCN</b>	N
<b>ETIM 7</b>	EC001857
<b>Group Classification Key</b>	R220
<b>List of Characteristics</b>	D21LD
<b>Product Description</b>	SINAMICS Active Line Module 380-480V 3AC, 50/60 Hz, 745 A Output: 510-720 V DC Rated power: 450kW Built-in unit IP00 design CIM Internal air cooling incl. Drive-CLiQ cable
<b>Unit of Measure</b>	ST

## Description

The SINAMICS Active Line Module operates at a voltage of 380-480V 3AC, 50/60 Hz, with an output of 510-720 V DC and a rated power of 450 kW. This product features a built-in unit with an IP00 design and internal air cooling. It includes a Drive-CLiQ cable for efficient connectivity. The module weighs 293.47 kg and complies with RoHS regulations since December 30, 2004. It is configurable and manufactured in Germany.