

6SL33317TE364AA0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6sl33317te364aa0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|---|
| Customs Tariff Code | 85044083 |
| eClass 6 | 27-02-31-01 |
| eClass 7.1 | 27-02-31-01 |
| eClass 8 | 27-02-31-01 |
| eClass Version 9 | 27-02-31-01 |
| eClass Version 9.1 | 27-02-31-01 |
| Quantity in Package | 1 |
| Packaging Length | 0,00 |
| Packaging Width | 0,00 |
| Packaging Height | 0,00 |
| Comparative Metals Coefficient | 13.10.2021 |
| UPC | 195125058620.0 |
| Weight | 119000 kg |
| Product Description | SINAMICS S120 Chassis-2 Active Line Module Input: 380-480V AC Output: 0-480 V 3AC, 635A Type rating: 400kW Built In Unit IP00 Internal air cooling |
| Product ID | 6SL3331-7TE36-4AA0 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 13.10.2021 |
| Configurable Product | True |
| Country of Origin | Germany |
| ECCN | 9N9999 |
| ETIM 7 | EC001857 |
| Group Classification Key | R220 |
| List of Characteristics | D21.3LD |
| Product Code | 4Q21 |
| REACH | Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1.6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007 |
| Unit of Measure | ST |
| Article Number | 6SL33317TE364AA0 |
| Product Family | Ordering Data Overview |
| Product Group | 4Q21 |
| Catalog ID | D21.3LD |
| Quantity Unit | 1 Piece |
| IP Rating | IP00 |

| | |
|---------------------------|------------|
| Net Weight | 262.350 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85044082 |
| Current Rating | 635 A |
| Voltage Rating | 480 V |
| Power | 400 kW |

Description

SINAMICS S120 Chassis-2 Active Line Module Input: 380-480V AC Output: 0-480 V 3AC, 635A
Type rating: 400kW Built In Unit IP00 Internal air cooling