

### 6SL35406DF710RA2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl35406df710ra2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85015220
EAN	4034106440718.0
eClass 6	27-02-40-03
eClass 7.1	27-02-40-03
eClass 8	27-02-40-01
eClass Version 9	27-02-40-01
eClass Version 9.1	27-02-40-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	5185
Comparative Metals Coefficient	03.11.2016
Weight	6000 kg
Product Description	DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=1,3Nm, N(N)=3000 RPM, INPUT: DC 600V ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3 DEGREE OF PROTECTION: IP65 SHAFT END IP67 SHAFT WITH FITTED KEY TOLERANCE N; W/O HOLDING BRAKE
Product ID	6SL3540-6DF71-0RA2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 03.11.2016
Configurable Product	False
Country of Origin	Germany
ECCN	3A999A
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D21MC
Unit of Measure	ST
Article Number	6SL35406DF710RA2
IP Rating	IP65
Product Family	Ordering Data Overview
Product Group	5185
Catalog ID	D21MC
Net Weight	13.228 lb
Quantity Unit	1 Piece
Packaging Quantity	1 pieces

<b>Commodity Code</b>	85015220
<b>Voltage Rating</b>	600 V
<b>Speed</b>	3000 rpm
<b>Tightening Torque</b>	3 Nm

## Description

DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=1.3Nm, N(N)=3000 RPM, INPUT: DC 600V ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3. Degree of protection: IP65, shaft end IP67, shaft with fitted key tolerance N; without holding brake.