

### 6SL35406DF710RG1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl35406df710rg1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85015220
EAN	4034106440749.0
eClass 6	27-02-40-03
eClass 7.1	27-02-40-03
eClass 8	27-02-40-01
eClass Version 9	27-02-40-01
eClass Version 9.1	27-02-40-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	5185
Comparative Metals Coefficient	03.11.2016
Weight	6000 kg
Product ID	6SL3540-6DF71-0RG1
AL Field	N
Compliance	Produkt zgodny z RoHS od: 03.11.2016
Configurable Product	False
Country of Origin	Germany
ECCN	3A999A
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D21MC
Product Description	DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=1,3Nm, N(N)=3000 RPM, INPUT: DC 600V ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3 DEGREE OF PROTECTION: IP65 PLAIN SHAFT W/O HOLDING BRAKE
Unit of Measure	ST
Article Number	6SL35406DF710RG1
Product Family	Ordering Data Overview
Catalog ID	D21MC
Quantity Unit	1 Piece
Voltage Rating	600 V
IP Rating	IP65
Product Group	5185
Net Weight	13.228 lb

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85015220
<b>Speed</b>	3000 rpm
<b>Tightening Torque</b>	3 Nm

## Description

DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=1,3Nm, N(N)=3000 RPM, INPUT: DC 600V  
ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3 DEGREE OF PROTECTION:  
IP65 PLAIN SHAFT W/O HOLDING BRAKE