

### 6SL35426DF710RG2

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl35426df710rg2
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85015220
EAN	4034106440831.0
eClass 6	27-02-40-03
eClass 7.1	27-02-40-03
eClass 8	27-02-40-01
eClass Version 9	27-02-40-01
eClass Version 9.1	27-02-40-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	5185
Comparative Metals Coefficient	03.11.2016
Weight	7400 kg
Country of Origin	Germany
Product ID	6SL3542-6DF71-0RG2
AL Field	N
Compliance	Produkt zgodny z RoHS od: 03.11.2016
Configurable Product	False
ECCN	N
ETIM 7	EC001857
Group Classification Key	R220
List of Characteristics	D21MC
Product Description	DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=2,5Nm, N(N)=3000 RPM, INPUT: DC 600V ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3 DEGREE OF PROTECTION: IP65 SHAFT END IP67 PLAIN SHAFT W/O HOLDING BRAKE
Unit of Measure	ST
Article Number	6SL35426DF710RG2
Product Family	Ordering Data Overview
Quantity Unit	1 Piece
Voltage Rating	600 V
IP Rating	IP65
Product Group	5185
Net Weight	16.314 lb
Catalog ID	D21MC

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85015220
<b>Speed</b>	3000 rpm
<b>Tightening Torque</b>	5 Nm

## Description

DISTRIBUTED SERVO-DRIVE SINAMICS S120M AH48, M(0)=2.5Nm, N(N)=3000 RPM, INPUT: DC 600V  
ABSOLUTE ENCODER 20 BIT NATURAL AIR COOLING, IM B5, IM V1, IM V3 DEGREE OF PROTECTION:  
IP65 SHAFT END IP67 PLAIN SHAFT W/O HOLDING BRAKE