

### 6SL37101GE321AU3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37101ge321au3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4287
Comparative Metals Coefficient	22.07.2019
UPC	195125480742.0
Weight	430000 kg
Product Description	SINAMICS G150 NEMA enclosed drive, AC/AC with CIM+CU320-2 3AC 380-480 V, 50/60 Hz nom. power rating: 150HP 6-pulse system without regenerative feedback type A, incl. EMC-Filter 2nd environment, category C3
Product ID	6SL3710-1GE32-1AU3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	United States of America
ECCN	3A999A
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D11.7LD
Unit of Measure	ST
Article Number	6SL37101GE321AU3
Product Family	Ordering Data Overview
Catalog ID	D11.7LD
Quantity Unit	1 Piece
Voltage Rating	480 V
Frequency Range	50 - 60 Hz
Product Group	4287
Net Weight	430.000 lb

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	8504404000
<b>Trip Curve</b>	D

## Description

The SINAMICS G150 is a NEMA enclosed drive, AC/AC with CIM+CU320-2, designed for operation in the voltage range of 380-480 V and frequency of 50/60 Hz. It offers a nominal power rating of 150 HP in a 6-pulse system without regenerative feedback, type A, including an EMC filter for the second environment, category C3. The product is RoHS compliant since 22.07.2019 and is available in packaging of 1 piece.