

### 6SL37301TE415AU3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37301te415au3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	320000 kg
Product Description	SINAMICS S120 CABINET MODULE BASIC LINE MODULE 3AC 380-480V, 50/60HZ, 1500A OUTPUT: DC 510 - 650V UNIT RATING: 710KW CUBICLE UNIT IP20 AIR COOLING NEMA DESIGN
Configurable Product	True
Product ID	6SL3730-1TE41-5AU3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1.6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST
Article Number	6SL37301TE415AU3
Product Family	Ordering Data Overview
Catalog ID	D21.3LD
Quantity Unit	1 Piece
Voltage Rating	480 V, 650 V
Frequency Range	50 - 60 Hz
Product Group	4924

<b>Net Weight</b>	705.479 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1500 A
<b>Power</b>	710 kW
<b>IP Rating</b>	IP20

## Description

The SINAMICS S120 CABINET BASIC LINE MODULE is designed for industrial applications, providing a power output of up to 710 kW. It operates on a three-phase supply of 380-480V with a frequency range of 50/60 Hz, featuring a maximum output current of 1500A. The device is rated IP20 and utilizes air cooling. Compliant with RoHS and REACH regulations, with compliance date from July 22, 2019. The net weight is 705.479 kg, and the product code is 4924. Ideal for use in control cabinets.