

### 6SL37301TE418BA3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37301te418ba3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	440000 kg
Product ID	6SL3730-1TE41-8BA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1 6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module basic line module 380-480V 3AC, 50/60 Hz, 1880A Output: 510-650 V DC Type rating: 900kW Cabinet unit IP20 air cooling, with fuses for parallel connection Mounting on the right on LCM
Product Family	Basic Line Modules
Catalog ID	D21.3LD
Quantity Unit	1 Piece
Voltage Rating	480 V, 650 V
Frequency Range	50 - 60 Hz
IP Rating	IP20

<b>Article Number</b>	6SL37301TE418BA3
<b>Product Group</b>	4924
<b>Net Weight</b>	970.034 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1880 A
<b>Power</b>	900 kW

## Description

SINAMICS S120 Cabinet Module basic line module 380-480V 3AC, 50/60 Hz, 1880A Output: 510-650 V DC Type rating: 900kW Cabinet unit IP20 air cooling, with fuses for parallel connection Mounting on the right on LCM