

6SL37301TG343AA3

Industrial automation components

Manufacturer	Siemens
Catalog number	6sl37301tg343aa3
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	200000 kg
Product ID	6SL3730-1TG34-3AA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1.1 6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module basic line module 500-690V 3AC, 50/60 Hz, 430A Output: 675-930 V DC Type rating: 355kW Cabinet unit IP20 air cooling
Product Family	Basic Line Modules
Catalog ID	D21.3LD
Quantity Unit	1 Piece
Voltage Rating	690 V, 930 V
Frequency Range	50 - 60 Hz
Article Number	6SL37301TG343AA3
Product Group	4924

Net Weight	440.925 lb
Packaging Quantity	1 pieces
Commodity Code	85044088
Current Rating	430 A
Power	355 kW
IP Rating	IP20

Description

The SINAMICS S120 Cabinet Module is designed for operation within a voltage range of 500-690V 3AC and a frequency of 50/60 Hz. It provides an output current of up to 430A and an output voltage range of 675-930 V DC, with a typical power rating of 355 kW. The module features an IP20 protection rating and air cooling. It is RoHS compliant since 22.07.2019 and is configurable. The net weight is 440.925 kg, with a quantity unit of 1 piece.