

### 6SL37301TG411BA3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37301tg411ba3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	440000 kg
Product ID	6SL3730-1TG41-1BA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1 6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module basic line module 500-690V 3AC, 50/60 Hz, 1100A Output: 675-930 V DC Type rating: 900kW Cabinet unit IP20 air cooling; with fuses for parallel connection, Mounting on the right on LCM
Article Number	6SL37301TG411BA3
Product Family	Basic Line Modules
Product Group	4924
Catalog ID	D21.3LD
Net Weight	970.034 lb
Quantity Unit	1 Piece

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1100 A
<b>Voltage Rating</b>	690 V, 930 V
<b>Power</b>	900 kW
<b>Frequency Range</b>	50 - 60 Hz
<b>IP Rating</b>	IP20

## Description

SINAMICS S120 Cabinet Module basic line module 500-690V 3AC, 50/60 Hz, 1100A Output: 675-930 V DC Type rating: 900kW Cabinet unit IP20 air cooling; with fuses for parallel connection, Mounting on the right on LCM.