

6SL37306TE417BA3

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6sl37306te417ba3 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|---|
| Customs Tariff Code | 85044086 |
| eClass 6 | 27-02-31-01 |
| eClass 7.1 | 27-02-31-01 |
| eClass 8 | 27-02-31-01 |
| eClass Version 9 | 27-02-31-01 |
| eClass Version 9.1 | 27-02-31-01 |
| Quantity in Package | 1 |
| Packaging Length | 0,00 |
| Packaging Width | 0,00 |
| Packaging Height | 0,00 |
| Product Code | 4924 |
| Comparative Metals Coefficient | 22.07.2019 |
| Weight | 945000 kg |
| Product ID | 6SL3730-6TE41-7BA3 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 22.07.2019 |
| Configurable Product | True |
| Country of Origin | Germany |
| ECCN | N |
| ETIM 7 | EC001857 |
| Group Classification Key | P122 |
| List of Characteristics | D21.3LD |
| Unit of Measure | ST |
| Product Description | SINAMICS S120 Cabinet Module Smart Line Module with CIM 380-480V 3AC, 50/60 Hz Output: 510-650 V DC, 1700A Type rating: 800kW Cabinet unit IP20 air cooling, version for parallel connection Mounting on the right on LCM |
| Article Number | 6SL37306TE417BA3 |
| Product Family | Smart Line Modules |
| Catalog ID | D21.3LD |
| Quantity Unit | 1 Piece |
| Voltage Rating | 480 V, 650 V |
| Frequency Range | 50 - 60 Hz |
| IP Rating | IP20 |
| Product Group | 4924 |
| Net Weight | 2083.369 lb |

| | |
|---------------------------|----------|
| Packaging Quantity | 1 pieces |
| Commodity Code | 85044088 |
| Current Rating | 1700 A |
| Power | 800 kW |

Description

SINAMICS S120 Cabinet Module Smart Line Module with CIM 380-480V 3AC, 50/60 Hz Output: 510-650 V DC, 1700A Type rating: 800kW Cabinet unit IP20 air cooling, version for parallel connection Mounting on the right on LCM