

### 6SL37306TG388BC3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37306tg388bc3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	660000 kg
Product ID	6SL3730-6TG38-8BC3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module Smart Line Module with CIM 500-690V 3AC, 50/60 Hz Output: 675-930 V DC, 900A Type rating: 710kW Cabinet unit IP20 air cooling, version for parallel connection Mounting on the left on LCM
Article Number	6SL37306TG388BC3
Product Family	Smart Line Modules
Product Group	4924
Catalog ID	D21.3LD
Net Weight	1455.051 lb
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85044088
Current Rating	900 A

<b>Voltage Rating</b>	690 V, 930 V
<b>Power</b>	710 kW
<b>Frequency Range</b>	50 - 60 Hz
<b>IP Rating</b>	IP20

## Description

SINAMICS S120 Cabinet Module Smart Line Module with CIM 500-690V 3AC, 50/60 Hz Output: 675-930 V DC, 900A Type rating: 710kW Cabinet unit IP20 air cooling, version for parallel connection Mounting on the left on LCM. RoHS compliant since 22.07.2019.