

### 6SL37306TG412CU3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37306tg412cu3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	970000 kg
Product ID	6SL3730-6TG41-2CU3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
Unit of Measure	ST
Product Description	SINAMICS S120 CABINET MODULE SMART LINE MODULE WITH CIM 3AC 500-690V, 50/60HZ OUTPUT: DC 675 - 930V, 1000A UNIT RATING: 1000KW CABINET UNIT IP20 AIR COOLING, VERSION FOR PARALLEL CONNECTION, MOUNTING ON THE LEFT TO LCM, NEMA DESIGN
Article Number	6SL37306TG412CU3
Product Family	Ordering Data Overview
Catalog ID	D21.3LD
Quantity Unit	1 Piece
Voltage Rating	690 V, 930 V
Frequency Range	50 - 60 Hz
IP Rating	IP20
Product Group	4924
Net Weight	2138.484 lb

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1000 A
<b>Power</b>	1000 kW

## Description

The SINAMICS S120 Cabinet Module Smart Line with CIM 3AC 500-690V, 50/60Hz features an output of DC 675 - 930V, with a unit rating of 1000A and 1000kW. This IP20 cabinet unit utilizes air cooling and is designed for parallel connection, mounting on the left side of the LCM, compliant with RoHS since 22.07.2019.