

### 6SL37351TG413LA3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37351tg413la3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044086
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	2640
Comparative Metals Coefficient	22.07.2019
Weight	995000 kg
Product ID	6SL3735-1TG41-3LA3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
REACH	Lead CAS-Nr. 7439-92-1; Dodecachloropentacyclo[12.2.1.1.1 6,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus™") covering any of its individual anti- and syn-isomers or any combination thereof lblREACHCasNo0007
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module Basic Line Connection Module 500-690V 3AC, 50/60 Hz, 1300 A Output: 675-930 V DC Type rating: 1100kW Cabinet unit IP21 Liquid cooling
Catalog ID	D21.3LD
Packaging Dimensions	Not availablein
Package Size Unit of Measure	in
Quantity Unit	1 Piece
Voltage Rating	690 V, 930 V
Frequency Range	50 - 60 Hz
IP Rating	IP21

<b>Article Number</b>	6SL37351TG413LA3
<b>Product Family</b>	Basic Line Connection Modules
<b>Product Group</b>	2640
<b>Net Weight</b>	2193.6 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1300 A
<b>Power</b>	1100 kW

## Description

SINAMICS S120 Cabinet Module Basic Line Connection Module 500-690V 3AC, 50/60 Hz, 1300 A  
Output: 675-930 V DC Type rating: 1100kW Cabinet unit IP21 Liquid cooling