

6XV1440-4BN15

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6xv1440-4bn15 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|---|
| Weight | 1.81 kgs |
| Quantity in Package | 1 |
| Packaging Length | 31,90 |
| Packaging Width | 28,80 |
| Packaging Height | 9,50 |
| Packaging Size | CM |
| Product Description | Connecting cable PN for Mobile Panels (PROFINET), Length 15 m |
| Product Code | 2260 |
| Comparative Metals Coefficient | 27.08.2013 |
| REACH | Imidazolidine-2-thione (2-imidazoline-2-thiol) lblREACHCasNo4360 |
| Unit of Measure | ST |
| UPC | 662643256840.0 |
| Product ID | 6XV1440-4BN15 |
| AL Field | N |
| Customs Tariff Code | 85444290 |
| Compliance | Produkt zgodny z RoHS od: 27.08.2013 |
| Configurable Product | False |
| Country of Origin | HU |
| EAN | 4025515089940.0 |
| ECCN | N |
| eClass 6 | 27-24-92-03 |
| eClass 7.1 | 27-24-92-03 |
| eClass 8 | 27-24-92-03 |
| eClass Version 9 | 27-33-02-92 |
| eClass Version 9.1 | 27-33-02-92 |
| ETIM 7 | EC002584 |
| Group Classification Key | R141 |
| List of Characteristics | ST80.1Q |

Description

The Siemens 6XV1440-4BN15 is a 15-meter PROFINET connecting cable designed for Siemens Mobile Panels, ensuring reliable communication in industrial environments. This cable features a robust construction with a special PUR sheath that is flame-resistant and offers resistance to oils and various chemicals, making it suitable for demanding applications. It operates effectively within a temperature range of 0°C to 55°C, ensuring consistent performance in diverse conditions. The cable's IP65 rating indicates strong protection against dust and water ingress, enhancing its durability and reliability. With a thickness of 9 mm, it is designed for easy integration into existing systems without compromising on performance. This connecting cable is an essential component for establishing stable and secure connections between Siemens Mobile Panels and other PROFINET-enabled devices, facilitating efficient industrial automation processes.