

6XV1830-5HH10

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6xv1830-5hh10 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|--|
| Configurable Product | False |
| Country of Origin | DE |
| EAN | 4019169854375.0 |
| ECCN | N |
| eClass 6 | 27-06-18-01 |
| eClass 7.1 | 27-06-18-01 |
| eClass 8 | 27-06-18-01 |
| eClass Version 9 | 27-06-18-01 |
| eClass Version 9.1 | 27-06-18-01 |
| ETIM 7 | EC003249 |
| Group Classification Key | R323 |
| List of Characteristics | IK |
| Quantity in Package | 1 |
| Packaging Length | 1,00 |
| Packaging Width | 1,00 |
| Packaging Height | 1,00 |
| Packaging Size | MM |
| Product Description | Foundation Fieldbus Cable; bus cable for IEC 61158-2; sheath color yellow for non- Ex applications; 2-core shielded; stranded drain wire sold by the meter; delivery unit max. 1000 m minimum order quantity 20 m. |
| Product Code | 2428 |
| Comparative Metals Coefficient | 01.01.2003 |
| REACH | Lead CAS-Nr. 7439-92-1 |
| Unit of Measure | M |
| Weight | 98 |
| Product ID | 6XV1830-5HH10 |
| AL Field | N |
| Customs Tariff Code | 85444995 |
| Compliance | Produkt zgodny z RoHS od: 01.01.2003 |
| Article Number | 6XV18305HH10 |
| Product Family | Bus cables |
| Packaging Dimensions | 0.039 x 0.039 x 0.039 |
| Package Size Unit of Measure | Inch |
| Quantity Unit | 1 Meter |
| Catalog ID | IK |

| | |
|---------------------------|-------------|
| Product Group | 2428 |
| Net Weight | 0.216 lb |
| Packaging Quantity | 1 pieces |
| Commodity Code | 85444920 |
| Standards | IEC 61158-2 |
| Color | m |