

### 8US12134AP03

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	8us12134ap03
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85389099
EAN	4011209937673.0
eClass 6	27-37-03-01
eClass 7.1	27-37-03-01
eClass 8	27-37-03-01
eClass Version 9	27-37-03-01
eClass Version 9.1	27-37-03-01
Quantity in Package	1
Packaging Length	245,00
Packaging Width	110,00
Packaging Height	100,00
Product Code	5888
Comparative Metals Coefficient	14.03.2014
Weight	1223
Product ID	8US1213-4AP03
AL Field	N
Compliance	Produkt zgodny z RoHS od: 14.03.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC001531
Group Classification Key	P360
List of Characteristics	LV10.1
Packaging Size	MM
Product Description	Adapter urządzeniowy wyłącznika kompaktowego, 3-biegunowy, 250 A Odstęp między osiami szyn 60mm, do 3VA12/20/21/22/52/61/62 241 x 105mm łączenie z adapterem w zestawie
Unit of Measure	ST
UPC	804766341557
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Commodity Code	85389099
Current Rating	125, 250 A
Article Number	8US12134AP03
Product Family	Ordering Data Overview

<b>Product Group</b>	5888
<b>Catalog ID</b>	LV10.1
<b>Net Weight</b>	2.714 lb
<b>Packaging Dimensions</b>	4.331 x 9.646 x 3.937
<b>Packaging Quantity</b>	1 pieces

## Description

BREAKER 3VA Adapter for busbar system FOR 3VA52 at 125A AND 3VA61 at 125A and 3VA62 at 250A FOR 3 POLE BREAKERS FOR USE WITH 60 MM BUSBAR