

6ES7521-1BL00-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7521-1bl00-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.01 kgs
Product ID	6ES7521-1BL00-0AB0
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 25.02.2013
Configurable Product	False
Country of Origin	DE
EAN	4025515080015.0
ECCN	N
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,10
Packaging Width	15,10
Packaging Height	4,70
Packaging Size	CM
Product Description	SIMATIC S7-1500, MODUŁ WEJŚĆ BINARNYCH, 32 WEJŚĆ HF (24V DC) , OPÓŹNIENIE 0.05-20MS; (WEJŚCIE TYPU 3. ZGODNIE Z IEC 61131); DIAGNOSTYKA, ALARMY PROCESOWE; WYMAGANA LISTWA PRZYŁĄCZENIOWA
Product Code	4501
Comparative Metals Coefficient	25.02.2013
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	887621139063.0

Description

6ES7521-1BL00-0AB0 | Siemens SIMATIC S7-1500 Series Digital Input Module, 40 mA (Current Consumption), 24 V dc, 0.05 to 20 ms, 35 x 147 x 129 mm | Brand / Manufacturer: Siemens | product type: Digital Input Module | series: SIMATIC S7-1500 | number of contributions: 32 | type of contribution: Digital | module type: Digital Input Module | input current: 40 mA (Current Consumption) | supply voltage: 24 V dc | switch-on time: 0.05 ms (Minimum);20 ms (Maximum) | off time: 0.05 ms (Minimum);20 ms (Maximum) | Size: 35 x 147 x 129 mm