

### 6SL37306TG417BC3

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6sl37306tg417bc3
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Customs Tariff Code	85044083
eClass 6	27-02-31-01
eClass 7.1	27-02-31-01
eClass 8	27-02-31-01
eClass Version 9	27-02-31-01
eClass Version 9.1	27-02-31-01
Quantity in Package	1
Packaging Length	0,00
Packaging Width	0,00
Packaging Height	0,00
Product Code	4924
Comparative Metals Coefficient	22.07.2019
Weight	970000 kg
Product ID	6SL3730-6TG41-7BC3
AL Field	N
Compliance	Produkt zgodny z RoHS od: 22.07.2019
Configurable Product	True
Country of Origin	Germany
ECCN	N
ETIM 7	EC001857
Group Classification Key	P122
List of Characteristics	D21.3LD
Unit of Measure	ST
Product Description	SINAMICS S120 Cabinet Module Smart Line Module with CIM 500-690V 3AC, 50/60 Hz Output: 675-930 V DC, 1700A Type rating: 1400kW Cabinet unit IP20 air cooling, version for parallel connection Mounting on the left on LCM
Article Number	6SL37306TG417BC3
Product Family	Smart Line Modules
Catalog ID	D21.3LD
Quantity Unit	1 Piece
Voltage Rating	690 V, 930 V
Frequency Range	50 - 60 Hz
IP Rating	IP20
Product Group	4924
Net Weight	2138.484 lb

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85044088
<b>Current Rating</b>	1700 A
<b>Power</b>	1400 kW

## Description

SINAMICS S120 Cabinet Module Smart Line Module with CIM 500-690V 3AC, 50/60 Hz. Output: 675-930 V DC, 1700A. Type rating: 1400kW. Cabinet unit IP20 air cooling, version for parallel connection, mounting on the left on LCM.